

MYD-YT507H SDK1.0 Release Notes



File Status : [] Craft [✓] Release	FILE ID :	MYIR-MYD-YT507H-SW-RN-EN-L4.9.170
	VERSION :	V1.0(DOC)
	AUTHOR :	lily.li
	CREATED :	2022-03-30
	UPDATED :	2022-04-26

Copyright © MYIR Electronics Limited 2011-2022 all rights reserved.

CONTENT

MYD-YT507H SDK1.0 Release Notes.....	- 1 -
CONTENT.....	- 2 -
1. Overview.....	- 3 -
2. Software Information.....	- 5 -
2.1. Functional Characteristics.....	- 5 -
2.2. Software List.....	- 10 -
2.3. Document Information.....	- 12 -
3. Version History.....	- 14 -
4. Remaining Problems.....	- 15 -
Appendix A.....	- 16 -
Warranty & Technical Support Services.....	- 16 -

1. Overview

The design and development of MYD-YT507H SDK software is based on the high-performance dual-core Arm64 architecture ® cortex A53 bit RISC core chip (T5 of Allwinner) which includes the underlying BSP source code, pre-compiled image files, Linux software evaluation and development documents, and some tools used in the development and debugging process. Corresponding hardware information is also released along with the SDK in the form of a CD image, the complete CD content is as follows:

Table 1-1.MYD-YT507H SDK CD Content Description

Class	Name	Description	Location
Document	Datasheet	Datasheet for MYD-YT507H	01-Document
	Hardware	MYB-YT507H Hardware Design Information	
	User_Manual	Product manuals, software documents, etc	
File Systems	myir-image-full	Full-featured file system with MEasy HMI V2.0 Demo	02_Images
	myir-image-core	Simplified system with core features	
	myir-image-Ubuntu18.04	Ubuntu file System wit core features	
	myir-image-android	No release	
Tools	Development SDK	SDK	03_Tools
	Development Tool	PhoenixSuit , PhoenixCard	
	Debugging Tool	No delivery	
Source code	Bootloader	U-boot 2018.01	04_Sources
	Kernel	Linux Kernel 4.9.170	
	buildroot	Buildroot 2019.02	
	Example code	MYiR-Linux-examples MYiR-MEeasy_hmi 2.0	

Users can get the latest version of the SDK for MYD-YT507H products from this website:<http://d.myirtech.com/MYD-YT507H/>.

The current SDK is available for development board models.

MYD-YT507H-8E1D-150-C/I

MYD-YT507H-8E2D-150-C/I

You can learn more about by visiting the MYIR website:<http://www.myir-tech.com/product/myd-YT507H.htm> .

2. Software Information

The MYD-YT507H Linux system is built with buildroot projects. We offer two different types of image files for different types of usage scenarios, as shown in the following table:

Table 2-1.MYD-YT507H images Description

Image Files Name	Content Description	Notes
myir-image-core	The image without the GUI interface is built by Yocto project. This image contains complete hardware drivers, common system tools, debugging tools, etc. Support the use of Shell,C/C ,Python for application development.	Acronyms for "CORE" are given below
myir-image-full	The image with the GUI interface is also built by Yocto project.This image contains all the complete hardware drivers , common system tools, debugging tools, QT runtime library and HMI interface based on QT development. Support the use of Shell,C/C ,QML,Python for application development.	Acronyms for "FULL" are given below
myir-image-ubuntu	Built with Ubuntu-Core 18.04 and XFCE4 as graphics libraries	Acronyms for "ubuntu" are given below
myir-image-android	No release	Acronyms for "adnroid" are given below

Notes:

1. For content not included in the image file, users can add or contact us with contact information in the appendix to provide support.

2.1. Functional Characteristics

The following is a detailed comparison of the specific features of the two images , it is convenient for users to evaluate and redevelop the software.

Table 2-2. MYD-YT507H Software Features List

Class	Function	Description	Image File	
			FULL	CORE

bootload	U-boot	NAND support read and write, erase	support	support
		NAND support fat,ubi file system mount access	support	support
		EMMC/TF card supports scanning, reading and writing	support	support
		EMMC/TF card supports fat file system access	support	support
		EMMC/TF card supports ext2/3/4 file system access	support	support
		Complete upgrade of image through TF card	support	support
		USB Mass storage	support	support
		USB RNDIS protocol	support	support
		USB fastboot	support	support
		USB DFU protocol	support	support
		Complete upgrade of image through USB port	support	support
		Device Tree FIT	support	support
		Memory read-write test, read-write, I2C read-write, reset	support	support
Kernel	Network support	TCP/IP network protocol stack	support	support
		Ethernet protocol	support	support
		Net Bridge, IP Route, Netfilter	support	support
		PPP protocol and USB serial	support	support
		CAN bus subsystem	support	support
		IrDA(infrared) subsystem	support	support
		Bluetooth subsystem	support	support
		Wireless protocol stack	support	support
		RF Switch subsystem	support	support
		IPV6	support	support
		File systems support	DEVTMPFS	support
	Ext2/3/4 File System		support	support
	UBIFS File System		support	support
	Overlay File System		support	support
	Network File System		support	support
	MSDOS File System		support	support
	VFAT File System		support	support
	Jffs2 File System		support	support
	Squash File System			
	NTFS File System	support	support	

	Multimedia modules	Multimedia related modules, including platform supported video input module, vpu, uvc, v4l2	support	support	
	Sound modules	Audio-related modules, including audio input and output devices supported also, the platform	support	support	
	Graphics modules	Display related modules, platform supported backlight, display, GPU, etc.	support	support	
	Input subsystem	Button, HID, touch subsystem. Platform-supported input devices	support	support	
	USB gadget	Mass storage, rndis, serial	support	support	
Root file system	Kernel firmware	rtlwifi firmware, bcmwifi firmware	support	support	
	Initial subsystem	Systemd/systemV/busybox (select systemV)	support	support	
		Udev(include udev rules)	support	support	
		Login	support	support	
	System tools	Bash shell environment	support	support	
		coreutils(chgrp, chmod, chown, kill, cp, dd...)	support	support	
		util-linux(sfdisk, fdisk, fsck...)	support	support	
		tar with long options	support	support	
		top	support	support	
		e2fsck	support	support	
		resize2fs	support	support	
		genext2fs	support	support	
	System settings	gzip	support	support	
		System settings	localized data (C en_US)	support	support
			Time zone information (Asia/Shanghai)	support	support
	User and password (account root, password is empty)		support	support	
	Test Tools	memtester	support	support	
		i2c-tools	support	support	
		mmc-utils	support	support	
		can-utils	support	support	
		microcom	support	support	
		minicom	support	support	
		hwclock	support	support	
spidev_test		support	support		
gdbserver		support	support		
evtest		support	support		
tslib, ts_test, ts_calibrate		support	support		

		hexdump	support	support
Development Language		Python2.7 and above (including pip)	support	support
		c/c++	support	support
		perl	support	support
Data Base		sqlite3	support	support
Network Application		scp	support	support
		ethtool	support	support
		netstat	support	support
		iptables	support	support
		iperf3	support	support
		iproute2 (iproute)	support	support
		dns	support	support
		udhcpd	support	support
		tftpd	support	support
		tftp	support	support
		lftp	support	support
		ftp	support	support
		ntpd	support	support
		pppd	support	support
		ifconfig	support	support
		openssh server(sshd)	support	support
		openssh client(ssh)	support	support
		wpa-suplicant	support	support
		wpa-suplicant-cli (wpa_cli)	support	support
		wpa-suplicant-passphrase	support	support
		tcpdump	support	support
		bluez-utils	support	support
		bridge-utils	support	support
	telnet	support	support	
	route	support	support	
	avahi	support	support	
Safety		openssl-devel	support	support
Word Processing		grep	support	support
		Sed	support	support
		Awk	support	support
		Vim(vi)	support	support
Graphics		qt5.12.5(qtbase, qtwidget, qtquick2.0 ,	support	Not support

	System	qtmultimedia, qtvirtualkeyboard) Chinese and English word banks		
		fbinit	support	support
	Multimedia	v4l-utils	support	support
		alsa-utils	support	support
		ffmpeg	support	support
	Other	bc	support	support
dbus		support	support	
SDK	Toolchain: gcc-linaro-7.4.1-2019.02-x86_64_aarch64-linux-gnu		support	support
	C function library:glibc		support	support
	C++ function library:libstdc++		support	support
	qmake:		support	Not support
	libasound		support	support
	libssl-dev		support	support
	libxml2		support	support
	libcedarx		support	support

2.2. Software List

The MYD-YT507H bootloader, kernel and file system and the source code of each part of the application are completely open. In addition to obtaining from the CD image, users can also obtain real-time updated versions through the code hosting platform. The code information of each part is as follows:

- U-boot:

Version:V2018.05

URL:<https://github.com/myir-private/myir-t5-uboot.git>

Branch:develop

- Linux Kernel:

Version:V4.9.170

URL:<https://github.com/myir-private/myir-t5-kernel.git>

Branch:develop

- Buildroot :

Version:V2.0

URL:<https://github.com/myir-private/myir-t5-buildroot.git>

Branch:master

- MEasy HMI:

Version:V2.0

URL:<https://github.com/MYiR-Dev/mxapp>

Branch:[hmi2.0](#)

- Examples:

Version:V2.0

URL:<https://github.com/MYiR-Dev/myir-linux-examples>

Branch:[myd-yt507](#)

In order to facilitate the user for kernel migration, the following kernel-driven modules of the source path arranged as follows:

Table 2-3. MYD-YT507H Kernel driver Part of the listing

Module	Description	Source Path
SD/MMC	SD/Emmc driver	drivers/mmc/card/ drivers/mmc/host/sunxi-*
SPI	SPI driver	drivers/spi/spi-sunxi.c
TWI	TWI controller driver	drivers/i2c/busses/i2c-sunxi.c
USB Host	USB driver	drivers/usb/storage/*
Ethernet	network drivers	drivers/net/ethernet/allwinner/*
GPADC	ADC driver	drivers/input/sensor/sunxi_gpadc.c
RS232/RS485/Uart	Serial Driver	drivers/tty/serial/sunxi-uart.c
Can bus	Can bus driver	drivers/net/can/m_can/m_can.c
GPIO key	Key driver	drivers/input/keyboard/gpio_keys.c
Wifi&bt	Brcm driver	drivers/net/wireless/* drivers/bluetooth/*
RTC	RTC driver	drivers/rtc/*
PWM	PWM driver	drivers/pwm/pwm-sunxi.c
HDMI	HDMI driver	drivers/video/sunxi/disp2/disp/lcd/*
LVDS	Ltdcdriver	drivers/video/sunxi/disp2/disp/lcd/*
Touch	Touch driver	drivers/input/touchscreen/*
CVBS out	TV driver	drivers/video/sunxi/disp2/disp/lcd/*
Audio	Line out driver	sound/soc/sunxi/*
	Sgtl5000 driver	sound/soc/sunxi/*
	Spdif driver	sound/soc/sunxi/*
Camera	Mipi CSI ov5640 driver	drivers/media/platform/sunxi-vin/modules/sensor/ov5640_mipi.c
	DVP ov5640 driver	drivers/media/platform/sunxi-vin/modules/sensor/ov5640.c
Watch dog	Watchdog driver	arch/arm/mach-sunxi/sun8i.c

2.3. Document Information

According to the different stages used in the development board, the SDK contains different categories of documents and manuals, such as quick start guide, evaluation guide, development Guide, application note, frequently asked questions, in addition to SDK Release Notes.

The quick start guide is a booklet that tells users how to quickly connect hardware, start the development board, and quickly access information for subsequent evaluation and development after getting the development board.

The evaluation guide focuses on the use and experience of the development board, informs the user of the specific hardware and software characteristics of the development board and makes the corresponding demonstration, which is convenient for the user to do the project evaluation.

The development guide focuses on the entire process of porting operating systems and applications, and tells users how to quickly port operating systems and applications to your own hardware platforms equipped with our CPU module based on our SDK .

In the development phase, we also provide detailed application notes to guide users to develop a specific function or module. In addition, we also summarize some common questions in each stage, and then form a list of frequently asked questions, which is provided to the user as a reference. The complete document information is shown in the following table:

Table 2-4. MYD-YT507H SDK List of documents

Use Phase	Document Name	Notes
Primary Stage	MYD-YT507H Quick Start Guide	Product package contains a quick start guide
Evaluation stage	MYD-YT507H_Linux_Software_Evaluation_Guide	
Development stage	MYD-YT507H Software Development Guide	
	MYD-YT507H_MEasy HMI Software Development Guide	

	MYD-YT507H_Ubuntu18.04 Software Development Guide	
	MYD-YT507H_SD card burning eMMC instruction manual	
	Application note	Contains numerous development guidance documents
Support	MYD-YT507H Software FAQ	Not released
Release Notes	MYD-YT507H Software Release Notes	

3. Version History

Table 3-1. MYD-YT507H SDK Version History

Version	Description	Download Path
V1.0	U-boot version:2018.05 Linux Kernel version:4.9.170 Buildroot version:2019.02 QT version:5.12.5	http://d.myirtech.com/MYD-YT507H

4. Remaining Problems

The following table lists some of the problems with this release package. Please read the following list carefully before using to determine if you want to make some hardware and software changes. For help, please contact us with the contact information in the appendix.

Table 4-1. Remaining Issues and Handling

ID	Scope of influence	Description	Solution

Appendix A

Warranty & Technical Support Services

MYIR Electronics Limited is a global provider of ARM hardware and software tools, design solutions for embedded applications. We support our customers in a wide range of services to accelerate your time to market.

MYIR is an ARM Connected Community Member and work closely with ARM and many semiconductor vendors. We sell products ranging from board level products such as development boards, single board computers and CPU modules to help with your evaluation, prototype, and system integration or creating your own applications. Our products are used widely in industrial control, medical devices, consumer electronic, telecommunication systems, Human Machine Interface (HMI) and more other embedded applications. MYIR has an experienced team and provides custom design services based on ARM processors to help customers make your idea a reality.

The contents below introduce to customers the warranty and technical support services provided by MYIR as well as the matters needing attention in using MYIR' s products.

Service Guarantee

MYIR regards the product quality as the life of an enterprise. We strictly check and control the core board design, the procurement of components, production control, product testing, packaging, shipping and other aspects and strive to provide products with best quality to customers. We believe that only quality products and excellent services can ensure the long-term cooperation and mutual benefit.

Price

MYIR insists on providing customers with the most valuable products. We do not pursue excess profits which we think only for short-time cooperation. Instead, we hope to establish

long-term cooperation and win-win business with customers. So we will offer reasonable prices in the hope of making the business greater with the customers together hand in hand.

Delivery Time

MYIR will always keep a certain stock for its regular products. If your order quantity is less than the amount of inventory, the delivery time would be within three days; if your order quantity is greater than the number of inventory, the delivery time would be always four to six weeks. If for any urgent delivery, we can negotiate with customer and try to supply the goods in advance.

Technical Support

MYIR has a professional technical support team. Customer can contact us by email (support@myirtech.com), we will try to reply you within 48 hours. For mass production and customized products, we will specify person to follow the case and ensure the smooth production.

After-sale Service

MYIR offers one year free technical support and after-sales maintenance service from the purchase date. The service covers:

Technical support service

MYIR offers technical support for the hardware and software materials which have provided to customers;

- To help customers compile and run the source code we offer;
- To help customers solve problems occurred during operations if users follow the user manual documents;
- To judge whether the failure exists;
- To provide free software upgrading service.

However, the following situations are not included in the scope of our free technical support service:

- Hardware or software problems occurred during customers' own development;
- Problems occurred when customers compile or run the OS which is tailored by themselves;
- Problems occurred during customers' own applications development;
- Problems occurred during the modification of MYIR's software source code.

After-sales maintenance service

The products except LCD, which are not used properly, will take the twelve months free maintenance service since the purchase date. But following situations are not included in the scope of our free maintenance service:

- The warranty period is expired;
- The customer cannot provide proof-of-purchase or the product has no serial number;
- The customer has not followed the instruction of the manual which has caused the damage the product;
- Due to the natural disasters (unexpected matters), or natural attrition of the components, or unexpected matters leads the defects of appearance/function;
- Due to the power supply, bump, leaking of the roof, pets, moist, impurities into the boards, all those reasons which have caused the damage of the products or defects of appearance;
- Due to unauthorized weld or dismantle parts or repair the products which has caused the damage of the products or defects of appearance;
- Due to unauthorized installation of the software, system or incorrect configuration or computer virus which has caused the damage of products.

Warm tips

1. MYIR does not supply maintenance service to LCD. We suggest the customer first check the LCD when receiving the goods. In case the LCD cannot run or no display, customer should contact MYIR within 7 business days from the moment get the goods.
2. Please do not use finger nails or hard sharp object to touch the surface of the LCD.
3. MYIR suggests user purchasing a piece of special wiper to wipe the LCD after long time use, please avoid clean the surface with fingers or hands to leave fingerprint.
4. Do not clean the surface of the screen with chemicals.
5. Please read through the product user manual before you using MYIR' s products.
6. For any maintenance service, customers should communicate with MYIR to confirm the issue first. MYIR' s support team will judge the failure to see if the goods need to be returned for repair service, we will issue you RMA number for return maintenance service after confirmation.

Maintenance period and charges

- MYIR will test the products within three days after receipt of the returned goods and inform customer the testing result. Then we will arrange shipment within one week for the repaired goods to the customer. For any special failure, we will negotiate with customers to confirm the maintenance period.
- For products within warranty period and caused by quality problem, MYIR offers free maintenance service; for products within warranty period but out of free maintenance service scope, MYIR provides maintenance service but shall charge some basic material cost; for products out of warranty period, MYIR provides maintenance service but shall charge some basic material cost and handling fee.

Shipping cost

During the warranty period, the shipping cost which delivered to MYIR should be responsible by user; MYIR will pay for the return shipping cost to users when the product is repaired. If the warranty period is expired, all the shipping cost will be responsible by users.

Products Life Cycle

MYIR will always select mainstream chips for our design, thus to ensure at least ten years continuous supply; if meeting some main chip stopping production, we will inform customers in time and assist customers with products updating and upgrading.

Value-added Services

1. MYIR provides services of driver development base on MYIR' s products, like serial port, USB, Ethernet, LCD, etc.
2. MYIR provides the services of OS porting, BSP drivers' development, API software development, etc.
3. MYIR provides other products supporting services like power adapter, LCD panel, etc.
4. ODM/OEM services.

MYIR Electronics Limited

Room 04, 6th Floor, Building No.2, Fada Road,
Yunli Intelligent Park, Bantian, Longgang District.

Support Email: support@myirtech.com

Sales Email: sales@myirtech.com

Phone: +86-755-22984836

Fax: +86-755-25532724

Website: www.myirtech.com